## 6.1 Business Rule & Error Condition Matrix

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
1G2	smission file is not well formed	Well-formedness error: parser reports \ " <value>\" at line <line #="">, column &lt;#&gt;</line></value>	002	Transmission	All
1H2	File was empty	File was empty (contained 0 bytes)	003	Transmission	All
112	The character value of the entry was outside the pattern value specified in the schema.	Line <li>tine #&gt;: The character value of <value> is outside the pattern value of <value>.</value></value></li>	004	Transmission	All
1J2	No value Item Reference elements were found within SOAP	No value ItemReference elements were found within SOAP: Envelope. Validation processing aborted after SOAP: Envelope document	005	Transmission	All
1K2	Invalid MIME header	Line <li>line #&gt;: Invalid MIME <value> header <value>.</value></value></li>	006	Transmission	All
1L2	Duplicate MIME header	Line <li>e #&gt;: Duplicate required MIME header <value>.</value></li>	007	Transmission	All
1M2	Missing Parameter	Line <li>Hissing parameter <value>.</value></li>	800	Transmission	All
1N2	Boundary-value parameter exceeds maximum length	Line <li>k): Value given for boundary-value parameter exceeds max length (&lt;#&gt; bytes).</li>	009	Transmission	All
ЗН	For the ExperienceRate element, the decimal value can not exceed six numeric characters to the right of the decimal point	For the ExperienceRate element, the decimal value can not exceed six numeric characters to the right of the decimal point	010	Item	All 940
102	Content Missing	Missing Content-Type value.	011	Transmission	All
1P2	OriginHeaderReference originID does not match the OriginId element of any valid PINRegistrationOrigin Header or ReturnOriginHeader in transmission.	OriginHeaderReference originID <value> does not match the OriginId element of any valid PINRegistrationOrigin Header or ReturnOriginHeader in transmission.</value>	012	Transmission	All
1Q2	The value specified is less than the minimum value specified in the schema	Value of <value> is less than the minimum of <value>.</value></value>	013	Transmission/ Origin	All
1R2	No Valid Entries in Transmission	No valid entries contained in TransmissionManifest.	014	Transmission	All

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
1S2	The OriginHeaderCount does not equal the total number of Origin HeaderReference elements in the TransmissionManifest.	The OriginHeaderCount <li>equal the total number of Origin HeaderReference elements in the TransmissionManifest.</li>	015	Transmission	All
1T2	No Valid entries in Origin	No valid entries contained in Origin Manifest.	016	Transmission/ Origin	All
1U2	MIME Content-Location value does not match ContentLocation element of its XML document.	Line <li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line<li>Line</li> <li>Line<li>Line<li>Line</li> <li>Line</li> <l< td=""><td>017</td><td>Transmission</td><td>All</td></l<></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li></li>	017	Transmission	All
1V2	In MIME part the character value must match the pattern value specified.	In MIME part with content-Location value <value>, the character value of<value> is outside the pattern value of<value>.</value></value></value>	018	Transmission	All
1W2	Previous error. No further validation will be done	Line <li>H&gt;: No further validation processing will occur due to previous error(s).</li>	019	Transmission	All
1X2	Origin value is not unique	OriginId value <value> is not unique within the transmission.</value>	020	Transmission	All
1Y2	Blank line missing before MIME boundary - marker	Line <li>e #&gt;: no blank line before MIME boundary-marker.</li>	021	Transmission	All
2A	EFIN of the originator must be a valid EFIN	The Originator EFIN is not Valid	029	Origin	All but PIN Registration
2B	If the efileRole is equal to Reporting Agent or IRS Agent, the EFIN/PIN combination must be present in the Origin Header, and must be valid	The PIN & EFIN Combination in the Origin Header does not represent a valid Agent Signature	100	Origin	All 94x
2C	If the efileRole is equal to Large Taxpayer, the EFIN/PIN combination must be present in the Origin Header, and must be valid.	The PIN & EFIN combination in the Origin Header is not a valid Large Taxpayer Signature	101	Origin	All 94x
2D	itemCount must equal the number of items within the batch	The itemCount <value> does not equal the total number of ItemReference elements in the OriginManifest+C57</value>	102	Transmission	All

Table 6-1. Business Rule and Error Condition Matrix

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
2E	Each item in the Item Manifest must exactly match one, and only one, item within the batch	The itemID in the OriginManifest failed to exactly match an itemID in the <choice "return"="" of="" or="" pin="" registration"=""> Header</choice>	103	Origin	All
ЗА	For Return types, the contents of the item must be within the defined parameters of the ReturnData schema for that returns type (i.e. ReturnData940.xsd)	The Documents contained in the return record are not as specified in the parameters of the Return Data Schema for <return type=""></return>	104	ltem	All 94x
3B	For PINRegistration types, each item must be composed of one, and only one, PINRegistration record	Each PIN Registration Record may be composed of only one PIN Registration	105	Item	PIN Registration
3F	If the Type in the Origin Header is equal to ERO, Online Filer, or Financial Agent, the return Signer Group must be present in the Return Header	The Signature (PIN) for this return is required	106	ltem	All 94x
3G	If the Type in the Origin Header is equal to ERO, Online Filer, or Financial Agent, the Signature (PIN) must be valid for that returns EIN	The Signature (PIN) for this return is not valid for the EIN	107	ltem	All 94x
3K	All entries for Exempt Payment Code must be within the valid range of values for the Exempt Payment Code	Your entry <value> for Exempt Payment Code is not one of the valid values defined in the schema</value>	108	Item	Form 940/940PR
3F3	If the efileRole is equal to Reporting Agent or IRS Agent, and the ETIN/PIN combination is present and valid in the Origin Header, the Signature (PIN) must not also be present in the Return Header for any return within that batch.	A Signature (PIN) was present in the Return Header, and also in the Origin Header.	109	Item	All 94x
3H3	If the Type in the Origin Header is equal to Reporting Agent, IRS Agent, or Large Taxpayer, the Return Signer Group must NOT be present in the Return Header	The Return Signer Group is not allowed for the Originator Type <value>.</value>	110	ltem	All 94x

Table 6-1. Business Rule and Error Condition Matrix

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
3D	For Return types, if the Form Type is either 940, 940PR, or 944 the tax period end date must be December 31st of the year immediately preceding the date of receipt for the transmission	The Tax Period End Date <value> is not valid for the Form Type <value>.</value></value>	201	ltem	All 940 and 944
3E	For Return types, if the Form Type is either 941, 941SS, or 941PR the tax period end date must be for the month ended March, June, September, or December. The date must already have passed (no pre-filing), and be within the valid range of accepted quarters, defined as follows: Forms 941 will be accepted for processing for the current quarters filing, and for 4 preceding quarters. The four quarters are rolling quarters (ie. Between April 1, 2010, and May 10, 2010, the valid tax periods for Form 941 filing are 200903, 200906, 200909, 200912, and 201003. Between July1, 2010, and August 10, 2010, the valid periods would be 200906, 200909, 200912, 201003, and 201006).  NOTE: For purposes of this validation, the return received date should be used to determine the acceptable quarters.	The Tax Period End Date <value> is not valid for the Form Type <value>.</value></value>	202	ltem	All 941
3J3	The return filing date cannot be later than April 30.	The return filing date for Forms 940, 940PR, or 944 <eltval> is past the filing deadline <eltval> for this year.</eltval></eltval>	203	Item	Form 940/940PR/944
3J4	CobraAssistance is present but Consolidated Omnibus Reconciliation Act (COBRA) is not authorized during this tax return time frame.	Element not valid for this tax period <eltval>.</eltval>	204	Return	Form 940/944
31	Either the Name Control or Check Digit must be present in the Return Header.	For the choice element in the Return Header, either the control or Check Digit must be present	226	Item	All 94x

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
3L	For elements with definitions outside strictly alpha, numeric, or alphanumeric provide the following Error Message	The character value of <value> is outside the pattern value of <value>.</value></value>	235	ltem	All
3K3	The length of the value in the element does not meet the schema definition.	The length of ( <eltval>) does not conform to the schema.</eltval>	236	ltem	All 94x
3L3	The element value contains characters which are not printable.	The Text ( <eltval>) contains non-printable characters.</eltval>	237	Item	All 94x
3M3	The element value contains spaces which are leading or consecutive inside the value.	The Text (ELltVal>[2]) contains leading or trailing spaces or contains two consecutive spaces.	238	Item	All 94x
3M	The two character state code in the Return Header must be one of the valid values defined for state type in the schema	The State code value is outside the pattern value of state code in schema.	266	Item	All 94x
3N3	The Credit Reduction Wages Amount value must be greater than zero.	The Credit Reduction Wages Amount value for <eltval> must be greater than zero.</eltval>	269	Item	All 94x
3N	The first three digits of the ZIP Code must be valid for the State Code entered in the Return Header	The first 3 positions of the Zip code are not valid for the State Code.	271	Item	All 94x
3O3	The credit reduction information must be valid if the State Code checkbox is checked.	Credit Reduction is checked but StateCreditReductionGroup is not present.	272	Item	All 940s
3P3	The credit reduction checkbox must be checked if the StateCreditReductionGroup is present.	StateCreditReductionGroup is present but CreditReduction is not checked.	273	Item	All 940s
3Q3	The information for a single state filer and a multistate filer cannot both be present.	Both SingleStateCode and MultiStateCode are present. Only one selection is allowed.	286	Item	All 940s
3R3	The state code for a multi state filer must be present if the multi state checkbox is checked.	MultiStateContribution is checked but MultiStateCode is not present.	288	ltem	All 940s

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
3 <b>S</b> 3	The state code for a multi state filer cannot be present if the multi state filer checkbox is not checked.	MultiStateCode is present but MultiStateContribution is not checked.	289	ltem	All 940s
4A	In the Payment Record, Bank Account Number can not equal all zeros or all blanks	The Bank Account Number entered was not valid	300	Item	94X Payment
4B	The RTN must be present on the Financial Organization Master File (FOMF) and the banking institution must process Electronic Funds Transfer (EFT).	The Routing Transit Number entered <value> is not present on the Financial Organization Master File.</value>	301	Item	94X Payment
4C	The Payment Amount must be equal to the Balance Due on the Return, and can not exceed the direct payment threshold (\$500 for 940, \$2,500 forms 941/944)	The Payment Amount Requested <value> did not equal the Balance due per the return, or it is in excess of the payment threshold amount (\$500 for Forms 940, \$2,500 for Forms 941/944)</value>	302	ltem	94X Payment
4D	The telephone number can not be all zeros	The Taxpayer Daytime Phone must not be all zeros	305	Item	94X Payment
4E	For any reject condition on the associated return, also reject the Payment	Since the return associated with this payment has been rejected, the payment must also be rejected	306	Item	94X Payment
4F	For any reject condition on an associated Payment, also reject the return	Since the payment record associated with this return has been rejected, the return must also be rejected	307	Item	All Return Types
4H	If a return record contains an associated Payment record, then the entry for the choice element Name Control/CheckDigit, must be the Name Control. The Check Digit will not be valid for Payment Procesing.	You have submitted a Payment Record, but have provided a check digit in lieu of a name control in the return header. The name control must be entered.	308	ltem	All Return Types
41	If the RTN in the payment record is equal to one of the following RTN's: 061036000, 061036013, 061036026, 091036164, 071036207, and 071036210	The Routing Transit Number entered <value> is notvalid for this type of transaction.</value>	309	ltem	94x Payment

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
3C	For Return types, the EIN/TaxPeriod/FormType combination must not have been previously processed and accepted through the Employment Tax efile System.	Our records indicate that an electronically filed return has already been submitted and accepted for this EIN, Tax Period, and Form Type.	414	Item	All 94x
30	The only valid entry for CheckBoxType is "X"	For optional Check Box type, <value> is not a valid entry, it must be an "X"</value>	438	Item	All
3L2	Total Exempt Payments must not be greater than Total Payments (Total Wages)	The entry for Total Exempt Payments <value> is greater than the entry for Total Payment for Employees <value></value></value>	500	Item	Form 940/940PR
3J	The Name Control or Check Digit must be valid at the NAP for the EIN in the Return Header	The Name Control or Check Digit <value> does not match the IRS records for the EIN in the Return Header</value>	501	Item	All 94x
3E3	The EIN must be present on the NAP	The EIN <value> does not found in our check of the IRS records.</value>	502	Item	All 94x
3M2	If the Semiweekly Schedule Depositer checkbox is checked, then Schedule B must be present	The checkbox for Semiweekly Schedule Depositer was checked, but a corresponding Schedule B was Not Present	600	Item	All Form 941 Type
3G3	Within Month1, Month2, or Month3 of Schedule B, or Schedule B PR, each Liability Day may occur once, and only once for each month	For the Month <value> Liability the LiabilityDay <value> occurs <value> times.</value></value></value>	601	Item	All Schedule B
3N2	If the Monthly Schedule Depositer checkbox is checked, then one or more of Total First Month Liability, Total Second Month Liability, or Total Third Month Liability must be present. Unless Net Taxes value equals zero	The checkbox for Monthly Schedule Depositer was checked, but a corresponding Monthly Liability Breakdown was Not Present	602	Item	Form 941 Only
3H2	If the Monthly Schedule Depositor checkbox is checked, then one or more of Total First Month Liability must be present. Unless Total Tax on 941PR/941SS value equals zero.	The checkbox for Monthly Schedule Depositor was checked, but a corresponding Monthly Liability Breakdown was not present.	603	Item	Form 941PR and Form 941SS

Table 6-1. Business Rule and Error Condition Matrix

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
302	If Net taxes is significant, than Total Liability for Quarter (Form 941 Types, or Schedule B Types) and Net taxes must be equal	The entry for Total Liability for Quarter <value> does not equal the entry for Net Taxes <value></value></value>	604	Item	Form 941 Only
3T3	If value of FUTATaxAfterAdjustment does not equal the sum of values of Quarter1Liability, Quarter2Liability, Quarter3Liability, and Quarter4Liability	The sum of Quarter1Liability, Quarter2Liability, Quarter3Liability, and Quarter4Liability does not equal the entry for FUTATaxAfterAdjustment <eltval></eltval>	605	Item	Form 940/940PR
3U3	If the value of TotalAdjustmentAmount does not equal the sum of values of FractionsOfCentsAdjustment, SickPayAdjustment, TipsGroupTermLifeInsAdjAmount,	The sum of the adjustment amounts does not equal the entry for TotalAdjustmentsAmount <eltval></eltval>	606	Item	All Form 941 Type
3B1	The value of PaymentCreditTotal must equal the sum of values of TotalDepositsOverpaymentForQtr and CobraPremiumPayments.	The sum of TotalDepositsOverpaymentForQtr and CobraPremiumPayments does not equal PaymentCreditTotal <eltval></eltval>	608	Return	Form 941
3B4	The value of PaymentCreditTotal must equal the sum of values of TotalDepositOverpaymentForYr and CobraPremiumPayments.	The sum of TotalDepositsOverpaymentForYr and CobraPremiumPayments does not equal PaymentCreditTotal <eltval></eltval>	609	ltem	Form 944
3B5	If Total Tax is significant, then Total Liability for Quarter (Form 941PR/941SS Types, or Schedule B Types) and TotalTax must be equal.	The entry for Total Liability Quarter <eltval> does not equal the entry for Total Tax for 941PR/941SS <eltval2></eltval2></eltval>	611	Item	Form 941PR and 941SS
3R2	If the final return checkbox is checked, the Credit Elect Checkbox must not be checked	The Final Return Checkbox was checked, but the return indicated that an overpayment should be applied to the next tax period	702	Item	All Return Types

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
1A	The transmission file is not well formed	Well-formedness error: parser reports <message> at line &lt;#&gt;, column &lt;#&gt; [file offset &lt;#&gt;]</message>	900	Transmission	All
1K	Duplicate element	The Element <value> occurs more than once</value>	901	Transmission	All
2F	Duplicate element	The Element <value> occurs more than once</value>	901	Origin	All
3P	Duplicate element	The Element <value> occurs more than once</value>	901	Item	All
1L	Required element is missing.	The Required Element <value> was not present.</value>	902	Transmission	All
2G	Required element is missing.	The Required Element <value> was not present.</value>	902	Origin	All
3Q	Required element is missing.	The Required Element <value> was not present.</value>	902	Item	All
1M	Invalid element name.	The element <value>was not expected in this position.</value>	903	Transmission	All
2H	Invalid element name.	The element name <value> is not a valid element name</value>	903	Origin	All
3R	Invalid element name.	The element <value>was not expected in this position.</value>	903	Item	All
1N	Element content is longer than the maximum length.	The entry <value> exceeds the maximum field length <value> for this element</value></value>	904	Transmission	All
21	Element content is longer than the maximum length.	The entry <value> exceeds the maximum field length <value> for this element</value></value>	904	Origin	All
3S	Element content is longer than the maximum length.	The entry <value> exceeds the maximum field length <value> for this element</value></value>	904	Item	All
10	Element content is shorter than the minimum required length	The entry <value> does not meet the minimum field length <value> for this element</value></value>	905	Transmission	All
2J	Element content is shorter than the minimum required length	The entry <value> does not meet the minimum field length <value> for this element</value></value>	905	Origin	All
3T	Element content is shorter than the minimum required length	The entry <value> does not meet the minimum field length <value> for this element</value></value>	905	Item	All
1P	Non-alphabetic character in required alpha field.	The entry <value> contains non-alphabetic characters in an alphabetic only field</value>	906	Transmission	All

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
2K	Non-alphabetic character in required alpha field.	The entry <value> contains non-alphabetic characters in an alphabetic only field</value>	906	Origin	All
3U	Non-alphabetic character in required alpha field.	The entry <value> contains non-alphabetic characters in an alphabetic only field</value>	906	Item	All
1Q	Non-numeric character in required numeric field.	The entry <value> contains non-numeric characters in a numeric only field</value>	907	Transmission	All
2L	Non-numeric character in required numeric field.	The entry <value> contains non-numeric characters in a numeric only field</value>	907	Origin	All
3V	Non-numeric character in required numeric field.	The entry <value> contains non-numeric characters in a numeric only field</value>	907	Item	All
1R	Non-alphanumeric character in required alphanumeric field.	The entry <value> contains non- alphanumeric characters in an alphanumeric only field</value>	908	Transmission	All
2M	Non-alphanumeric character in required alphanumeric field.	The entry <value> contains non- alphanumeric characters in an alphanumeric only field</value>	908	Origin	All
3W	Non-alphanumeric character in required alphanumeric field.	The entry <value> contains non- alphanumeric characters in an alphanumeric only field</value>	908	Item	All
1S	Duplicate attribute	Duplicate attribute <value></value>	909	Transmission	All
2N	Duplicate attribute	Duplicate attribute <attribute name=""></attribute>	909	Origin	All
3X	Duplicate attribute	Duplicate attribute <value></value>	909	Item	All
1T	Required attribute is missing	Required attribute <value> is missing.</value>	910	Transmission	All
20	Required attribute is missing	Required attribute <attribute name=""> is missing.</attribute>	910	Origin	All
3Y	Required attribute is missing	Required attribute <value> is missing.</value>	910	Item	All
1U	Invalid attribute	The attribute <value> was not expected for this element.</value>	911	Transmission	All
2P	Invalid attribute	Invalid attribute <attribute name=""></attribute>	911	Origin	All
3Z	Invalid attribute	The attribute <value> was not expected for this element.</value>	911	Item	All
1V	Attribute value is incorrect	Attribute <value> value is incorrect.</value>	912	Transmission	All

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
2Q	Attribute value is incorrect	Attribute <attribute name=""> value is incorrect.</attribute>	912	Origin	All
3A2	Attribute value is incorrect NOTE: This Condition is Reserved for Situations which may not be addressed by a more specific error condition. Use of this Condition must be coordinated with the Business Owner.	Attribute <value> value is incorrect.</value>	912	ltem	All
1W	Attribute value is longer than the maximum length	Attribute <attribute name=""> value is longer than the maximum length.</attribute>	913	Transmission	All
2R	Attribute value is longer than the maximum length	Attribute <attribute name=""> value is longer than the maximum length.</attribute>	913	Origin	All
3B2	Attribute value is longer than the maximum length NOTE: This Condition is Reserved for Situations which may not be addressed by a more specific error condition. Use of this Condition must be coordinated with the Business Owner.	Attribute <attribute name=""> value is longer than the maximum length.</attribute>	913	Item	All
1X	Attribute value is shorter than the minimum required length	Attribute <value> value is shorter than the minimum required length.</value>	914	Transmission	All
2S	Attribute value is shorter than the minimum required length	Attribute <value> value is shorter than the minimum required length.</value>	914	Origin	All
3C2	Attribute value is shorter than the minimum required length NOTE: This Condition is Reserved for Situations which may not be addressed by a more specific error condition. Use of this Condition must be coordinated with the Business Owner.	Attribute <value> value is shorter than the minimum required length.</value>	914	Item	All
1Y	Attribute value has non-alphabetic character in alpha field	Attribute <attribute name=""> value has non-alphabetic character in alpha field.</attribute>	915	Transmission	All
2T	Attribute value has non-alphabetic character in alpha field	Attribute <attribute name=""> value has non-alphabetic character in alpha field.</attribute>	915	Origin	All

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
3D2	Attribute value has non-alphabetic character in alpha field NOTE: This Condition is Reserved for Situations which may not be addressed by a more specific error condition. Use of this Condition must be coordinated with the Business Owner.	Attribute <attribute name=""> value has non-alphabetic character in alpha field.</attribute>	915	Item	All
1Z	Attribute value has non-numeric character in numeric field	Attribute <value> value has non-numeric character in numeric field.</value>	916	Transmission	All
2U	Attribute value has non-numeric character in numeric field	Attribute <value> value has non-numeric character in numeric field.</value>	916	Origin	All
3E2	Attribute value has non-numeric character in numeric field NOTE: This Condition is Reserved for Situations which may not be addressed by a more specific error condition. Use of this Condition must be coordinated with the Business Owner.	Attribute <value> value has non-numeric character in numeric field.</value>	916	Item	All
1A2	Attribute value has non-alphanumeric character in alphanumeric field.	Attribute <attribute name=""> value has non-alphanumeric character in alphanumeric field.</attribute>	917	Transmission	All
2V	Attribute value has non-alphanumeric character in alphanumeric field.	Attribute <attribute name=""> value has non-alphanumeric character in alphanumeric field.</attribute>	917	Origin	All
3F2	Attribute value has non-alphanumeric character in alphanumeric field.  NOTE: This Condition is Reserved for Situations which may not be addressed by a more specific error condition. Use of this Condition must be coordinated with the Business Owner.	Attribute <attribute name=""> value has non-alphanumeric character in alphanumeric field.</attribute>	917	Item	All
1B2	Invalid timestamp format.	The timestamp entry <value> is not in the required format</value>	918	Transmission	All

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
2W	Invalid timestamp format.	The timestamp entry <value> is not in the required format</value>	918	Origin	All
1C2	Invalid timestamp value.	The timestamp entry <value> is not valid</value>	919	Transmission	All
2X	Invalid timestamp value.	The timestamp entry <value> is not valid</value>	919	Origin	All
1E	ETIN of the transmitter at Logon must equal the ETIN in the Transmission Header	The ETIN provided at system Logon did not match the transmitter ETIN provided in the TransmissionHeader	920	Transmission	All
1F	Transmitter not valid for transmission type	Transmitter not valid for transmission type	921	Transmission	All
1G	Invalid production/test code: P = production; T = test	The ProcessType <value> is not valid. Valid values are P or T</value>	922	Transmission	All
1H	Production/test code does not match Transmitter profile.	The ProcessType <value> does not match the transmitters profile process type <value>.</value></value>	923	Transmission	All
11	Attribute originId value is not unique within Transmission.	Attribute originId value <value> is not unique within Transmission.</value>	924	Transmission	All
2Y	Attribute itemId value is not unique within Transmission.	Attribute itemId value <value> is not unique within Transmission.</value>	924	Transmission	All
1J	Attribute originId value does not match the ID of any <parent_element_name> in Transmission.[where parent_element_name could be PINRegistrationOriginHeader or ReturnOriginHeader]</parent_element_name>	Attribute originId value <value> does not match the originId of any origin header in transmission.</value>	925	Transmission	All
1D2	Does not match originId value of any OriginHeaderReference in TransmissionHeader.	Does not match originId value of any OriginHeaderReference in Transmission.	926	Transmission	All
2Z	Attribute itemId value does not match the ID of any PINRegistration in Transmission.	Attribute itemId value does not match the ItemId of any PINRegistration in Transmission.	927	Transmission	PIN Registration

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
3G2	Invalid date format.	The date entered <value> is not in the required format</value>	928	Item	All
3H2	Invalid date.	The date entered <value> is not a valid date</value>	929	Item	PIN Registration
312	If the EIN on a PIN Registration is already in the CDB Database	Duplicate Registration: EIN is already in database.	930	Item	PIN Registration
3J2	Does not match itemId value of any ItemReference in a PINRegistrationOriginHeader.	Does not match itemId value of any ItemReference in a PINRegistrationOriginHeader.	931	Transmission	PIN Registration
3K2	Does not match itemId value of any Item Reference in a Return Origin Header.	Does not match itemId value of any ItemReference in a Return Origin Header.	932	Transmission	All Return Type
1B	Batch (Origin) Count must equal the number of batches in the transmission file	The OriginHeaderCount <#> does not equal the total number of OriginHeaders <#> in the transmission file	933	Transmission	All
5A	The Software Identification Number submitted is not registered with the agency.	Software ID <eltval> was not found on TPDS update.</eltval>	934	Item	All Return Types
1C	Each item in the Transmission Manifest must match exactly one, and only one, batch within the transmission file	The OriginID's in the TransmissionManifest failed to exactly match the OriginID's in the OriginHeader.	935	Transmission	All
1D	All Batches within the transmission must be ONLY ReturnType (94x), or ONLY PINRegistrationType.	The transmission file contained tax return and PIN Registration Files. Returns and PIN Registrations may not be mixed in a single transmission file.	936	Transmission	All
1E2	ReturnDataReference href value must match the MIME Content-Location value of one and only one MIME Part header in the transmission	ItemReference contentLocation value <value> does not match the MIME Content- Location value of ant MIME part header in transmission.</value>	950	Transmission	All Return Types
1F2	ReturnDataReference href value must be unique within the transmission	Duplicate contentLocation value <value></value>	951	Transmission	All Return Types
2A2	Attribute itemId value does not match the ID of any ReturnHeader in Transmission.	Attribute itemId value does not match the ItemId of any ReturnHeader in Transmission.	952	Transmission	All Return Type

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
3S2	If the number of ocurances of any element exceeds the maximum number of occurances as specified in the schema	The maximum number of occurances specified in the schema for <value> has been exceeded.</value>	953	Item	All
3T2	If the total number of occurances of any element does not equal the minimum occurances as specified in the schema	The number of occurances of <element name="">, does not equal the minimum as specified in the schema.</element>	954	Item	All
3U2	For IRS941ScheduleB/IRS941PRScheduleB, the value of the Liability Amount Liability Day must be within the valid range of days for the month reported. Following is a listing of the months attributed to each quarter:  Quarter Month End 03 - Month1 = January, Month2 = February, Month3 = March.  Quarter Month End 06 - Month1 = April, Month2 = May, Month3 = June. Quarter Month End 09 - Month1 = July, Month2 = August, Month3 = September. Quarter Month End 12 - Month1 = October, Month2 = November, Month3 = December.	The value of the LiabilityDay <value> is not valid for the month of <month>.</month></value>	955	ltem	All 941Type
3V2	If the Element Overpayment has a significant value, then the choice of "Applied to Next Return or Refunded" is mandatory.	The element Overpayment contains a significant value <value>, but you did not select one of the choice items "Applied to Next Return or Refunded"</value>	956	ltem	All Return Types
3W2	The Choice element "Applied to Next Return or Refunded" must contain only one selection.	The choice element "Applied to Next Return or Refunded", must contain only one selection.	957	Item	All Return Types
3X2	The tag name is out of sequence with the other elements.	Sequence violation <tagname> is not expected in this position.</tagname>	958	Item	All
3Y2	For the Choice elements SemiweeklyScheduleDepositer/MonthlySche dule Depositer, if either one is selected, then the other choice must not be selected.	For the choice elements SemiweeklyScheduleDepositer/MonthlySchedule Depositer, you must make one, and only one selection.	959	ltem	All 941/944 Type

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
3Z2	Each Itemid in the origin Header must match one and only one Itemid Attribute in the return data.	The Itemid <value> does not exactly match the ItemId in the Origin Header</value>	960	Item	All
6A	Line <n>: Missing MIME message header</n>	Line <li>e #&gt;: Missing MIME message header <value>.</value></li>	961	Transmission	All
6B	Line <n>: Invalid Content-Type <value>; must be Multipart/Related</value></n>	Line <li>#&gt;: Invalid Content-Type <value>; must be Multipart/Related</value></li>	962	Transmission	All
6C	Line <n>: Missing boundary parameter for Multipart Content-Type</n>	Line <li>#&gt;: Missing boundary parameter for Multipart Content-Type</li>	963	Transmission	All
6D	Line <n>: Invalid type parameter <value>; must be text/xml</value></n>	Line <li>line #&gt;: Invalid type parameter </li> <li>value&gt;; must be text/xml</li>	964	Transmission	All
6E	Line <n>: Missing blank line between MIME header and body</n>	Line <li>Line #&gt;: Missing blank line between MIME header and body, or more than <li>#&gt; header lines (including blank line)</li></li>	965	Transmission	All
6F	Line <n>: More than one blank line between MIME header and body</n>	Line <li>e #&gt;: More than one blank line between MIME header and body</li>	966	Transmission	All
6G	Line <n>: Missing or invalid MIME boundary-marker</n>	Line <li>e #&gt;: Missing or invalid MIME boundary-marker</li>	967	Transmission	All
6H	Line <n>: Missing MIME part header</n>	Line <li>e #&gt;: Missing MIME part header (<value>)</value></li>	968	Transmission	All
6I	Line <n>: Invalid charset parameter <value>; must be UTF-8</value></n>	Line <li>line #&gt;: Invalid charset parameter value <value>; must be UTF-8</value></li>	969	Transmission	All
6J	Line <n>: Invalid Content-Transfer-Encoding value <value>; must be 8bit</value></n>	Line <li>line #&gt;: Invalid Content-Transfer- Encoding value <value>; must be 8bit</value></li>	970	Transmission	All
6K	Line <n>: Missing Content-Location</n>	Line <li>Hissing Content-Location</li>	971	Transmission	All
6L	Line <n>: Duplicate Content-Location value <value></value></n>	Line <li>e #&gt;: Duplicate Content-Location value <value></value></li>	972	Transmission	All
6M	Line <n>: Content-Location value <value> does not match the href attribute of any ReturnDataReference in the transmission</value></n>	Line <li>key: Content-Location value <value> does not match the content Location attribute of any valid Item Reference in the transmission.</value></li>	973	Transmission	All

**Table 6-1. Business Rule and Error Condition Matrix** 

ID#	Business Rule	Error Message(s)	Error Code	Rejection Level	Form Types
6N	Line <n>: Missing or invalid final MIME boundary-marker</n>	Line <li>#&gt;: Missing or invalid final MIME boundary-marker</li>	974	Transmission	
60	Line <n>: Invalid Content-Type <value>; must be text/xml</value></n>	Line <li>#&gt;: Invalid Content-Type <value>; must be text/xml</value></li>	975	Transmission	All
6P	Line <n>: Invalid charset parameter <value>; must be UTF-8</value></n>	Line <li>#&gt;: Invalid charset parameter <value>; must be UTF-8</value></li>	976	Transmission	All
3A3	For all monetary values, the entry must be in the valid decimal format as specified in the DecimalType	For the monetary field <element name="">, the entry <value> was not in the format specified by DecimalType.</value></element>	980	Item	All
3B3	For all non-negative monetary values, the entry must be in the format specified by DecimalNNType.	For the monetary field <element name="">, the entry <value> was not in the format specified by DecimalNNType.</value></element>	981	Item	All
3D3	For the choice elements BalanceDue, or Overpayment, if either one is selected, then the other choice must not be selected.	For the choice elements BalanceDue, or Overpayment, you must make one, and only one selection.	983	Item	All Return Types
3l3	Default error code for instances where the parser identifies an error that does not have an associated error code in the Validation Criteria list	Parser reports <parser error="" message=""> at line <li>e line #&gt;. Contact the EFile Help Desk for further assistance</li></parser>	999	ltem	All